# Original HP Large Format Printing Materials

Sign and display applications



# Why buy HP Sign and Display Printing Materials?

## The HP large format printing system—the complete solution

HP large format printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide uncompromising image quality, consistency, performance, durability, and value—with every print.





For detailed information on the HP large format printing materials portfolio and to order, visit **HPLFMedia.com** 

- <sup>1</sup> HP Large Format Media take-back program availability varies. Recycling programs may not exist in your area. See <u>HPLFMedia.com/hp/</u> ecosolutions for details.
- Visit <u>hp.com/recycle</u> to see how to participate and for HP Planet Partners program features and availability; program may not be available in your area. Where this program is not available, and for other consumables not included in the program, consult the Material Safety Data Sheet (MSDS) available at <u>hp.com/go/ecodata</u> to determine appropriate disposal.

## Original HP inks and HP printing materials—system chemistry

Original HP inks and printing materials are designed together to provide image quality, durability, and consistency you can rely on. Reliable results enable increased productivity and reduced costs.

Original HP inks are more than just ink and HP large format printing materials are far more than just paper. It's the chemical makeup of each, together with the carefully engineered interaction between the two, that make exceptional results possible. Image quality and consistency so predictable, it's almost cliché. Print permanence that's measured in generations, not months or years. Breakthrough innovations that give you real alternatives to traditional materials that, by nature, must trade-off quality, durability, even environmental considerations. The unique chemistry between HP inks and HP large format printing materials changes all that—among the broad array of materials offered in the HP large format printing materials portfolio, you can have it all.

#### Original HP inks and printheads

Original HP printing supplies feature intelligent technology built into the ink cartridges, printheads, and the printer. These critical system components communicate interactively to provide automatic and continuous adjustments that optimize print quality and maximize printhead life. User-replaceable printheads enable easy, low-maintenance printing and can eliminate the downtime and expense of a service call.

#### Designed with the environment in mind

Many HP sign and display printing materials are recyclable through commonly available recycling programs. And in some cases, HP offers the free, convenient HP Large Format Media take-back program.<sup>1</sup> And the HP Planet Partners program provides easy, convenient return and recycling of many Original HP large format ink cartridges and printheads.<sup>2</sup>

#### The ColorPRO difference

Printing materials with ColorPRO Technology perform to a strict set of specifications to meet industry-leading performance standards. The specific technology behind media with ColorPRO Technology varies from product to product, however all products with ColorPRO Technology utilize advanced technologies which have been designed together with Original HP inks and HP printers to deliver color excellence in digital printing.



	<b>HP Sign</b>	and Disp		rt	1	egio: ilabi	- 1				nch co	re. Pri	nter av	/ailab	ility va	ries by		n. Am	ericas	include	s the	Unite	d State	es, Can	<b>Techn</b> lada, and L an.		
	Printin	g Materia	ıs														HP La										_
	Part number	Metric size (mm x m)	Imperial size (in x ft)	2 Pack	Americas	Europe	АРЈ	DesignJet L25500	Latex 210 (DesignJet L26100)	(DesignJet L26500)	Latex 280 (Design let L28500)	Latex 115	Latex 115 Cut/Print and Cut Plus Solutions	Latex 310/315 <sup>3</sup>	Latex 315 Cut/Print and Cut Plus Solutions	Latex 330/335/360/365	Latex 335 Cut/Print and Cut Plus Solutions	Latex 370/375	Latex 560/570	Scitex LX600 (Design Jet L65500)	Scitex LX800	Latex 820 (Scitex LX820)	Latex 850 (Scitex LX850)	Latex 1500	Latex 3000/3100 3200/3500/3600, 3800 Jumbo Roll Solution	Latex R2000/R2000 Plus/R1000/R1000 Plus	Latex 800/800 W/
HP Banners	1A718A	965 x 50	38 x 164	Т	•				1			-			•	T 4	•	•	•	_				•	•	Т	•
HP 13-oz Prime Gloss Banner	1A719A	1372 x 50	54 x 164												•	_		•	•					•			•
(REACH compliant) <sup>4</sup>	1A720A	1600 x 50	63 x 164		•		$\neg$			$\neg$					_	_	•	•	•					•	•		•
110.43 D: W D	1A724A	965 x 50	38 x 164		•										•	(	•	•	•					•	•		•
HP 13-oz Prime Matte Banner (REACH compliant) <sup>4</sup>	1A725A	1372 x 50	54 x 164		•		_					_			•		•	•	•					•	•		•
•	1A726A	1600 x 50	63 x 164		•		_									<u> </u>		•	•					•	•		•
HP 15-oz Prime Double-sided	1A736A	965 x 50	38 x 164				_					_			•	-	•	•	•					•	•	•	•
Blockout Banner (REACH compliant) <sup>4</sup>	1A737A	1372 x 50	54 x 164				-			-		_			•	<u> </u>	•	•	•					•		•	•
-	1A738A 1A740A	1600 x 50 965 x 50	63 x 164 38 x 164												•											-	
HP 18-oz Prime Double-sided Pole Banner	1A741A	1372 x 50	54 x 164			Н	$\dashv$			-					-			•	•					•			•
(REACH compliant)4	1A742A	1600 x 50	63 x 164															•	•								•
	D9R28A	914 x 61	36 x 200		•			•	•		•				•		•	•	•					•	•	•	•
HP Everyday Matte	D9R29A	1067 x 61	42 x 200		•			•	•		•				•	-	•	•	•					•	•	•	•
Polypropylene, 3-in Core (*)¹	D9R30A	1270 x 61	50 x 200		•			60	•		•				•		•	•	•					•	•	•	•
	D9R31A	1524 x 61	60 x 200					60	•		•						•		•					•	•	•	•
HP Self-adhesive Materials				_										_													
	8SU04A	610 x 30,5	24 x 100		•	•									•	_	•	•	•								•
HP Removable Adhesive Fabric,	8SU05A	914 x 30,5	36 x 100		-					4		_		_	•	-		•	•								•
3-in Core (REACH compliant)4	8SU06A	1067 x 30,5	42 x 100			•	$\dashv$								•	_		•	•								•
	8SU08A 8SU09A	1372 x 30,5 1524 x 30,5	54 x 100 60 x 100	-			$\dashv$			-					•	_	•	•	•							+	•
	4WM39A	1050 x 50	60 X 100		ř		$\dashv$								•	_		•	•								•
HP Vital Gloss CP	4WM41A	1372 x 50					_					H			•	-	•	•	•							•	•
(REACH compliant) <sup>4</sup>	4WM43A	1524 x 50														-	•	•	•							•	•
	9EA15A	1050 x 50				•									•		•	•	•							•	•
HP Vital Matte CP (REACH compliant) <sup>4</sup>	9EA16A	1372 x 50													•	(	•	•	•							•	•
(NEACT compliant)	9EA17A	1524 x 50															•	•	•							•	•
HD Vital Class CD	4WM45A	1050 x 50													•	(	•	•	•							•	•
HP Vital Gloss GR (REACH compliant) <sup>4</sup>	4WM46A	1372 x 50				•	_					_			•	_	•	•	•							•	•
	4WM47A	1524 x 50				•	_									(	•	•	•							•	•
HP Vital Matte GR	4WM52A	1050 x 50 1372 x 50					$\rightarrow$							_	•			•	•								•
(REACH compliant) <sup>4</sup>	4WM53A 4WM55A	1524 x 50					_									_		•	•								•
HP Gloss Monomeric	4WM49A	1050 x 50															_	Ť	Ť							Ť	Ť
Overlaminate	4WM50A	1372 x 50				•																					
(REACH compliant) <sup>4</sup>	4WM51A	1524 x 50																									
HP Matte Monomeric	4WM57A	1050 x 50				•	_																				
Overlaminate (REACH compliant) <sup>4</sup>	4WM58A 4WM59A	1372 x 50 1524 x 50					$\dashv$																				+
	4WM32A	1372 x 45,7	54 x 150												•		•	•	•					•	•		•
UDD: CL CD	4WM34A	1524 x 45,7	60 x 150		•											-	•	•	•					•	•	•	•
HP Prime Gloss CP (REACH compliant)4	6GA52A	1067 x 50				•						_		_	•	_		•	•					•	•	•	•
	6GA49A 6GA51A	1372 x 50 1524 x 50								-					•	_		•	•					•	•	•	•
	4WM24A	1372 x 45,7	54 x 150		•										•		•	•									-
	4WM26A	1524 x 45,7	60 x 150		•											(	•	•	•					•	•	•	•
HP Prime Gloss Air GP	6GA45A	1372 x 50				•									•		•	•	•					•	•	•	•
(REACH compliant) <sup>4</sup>	6GA47A	1524 x 50		F			$\Box$			4						_	•	•	•					•	•	•	•
	4WM25A	1372 x 91,4	54 x 300												•	-	<u> </u>	•	•					•		•	
	4WM27A 4WM66A	1524 x 91,4 1372 x 45,7	60 x 300 54 x 150												•			-						•			•
	4WM68A	1524 x 45,7	60 x 150												_	_	•	•	•					•		•	•
HP Prime Matte Air GP (REACH compliant)4	6GA56A	1067 x 50				•				$\Box$					•		•	•	•					•	•	•	•
	6GA53A	1372 x 50				•	[								•	-	•	•	•					•	•	•	•
	6GA55A 4WM62A	1524 x 50 1372 x 45,7	54 x 150												•	-		•	•					•	•	•	•
HP Prime Gloss Air GR	4WM64A	1372 x 45,7 1524 x 45,7	60 x 150		-											_		•									-
(REACH compliant) <sup>4</sup>	4WM63A	1372 x 50	54 x 164		•										•	_	•	•	•					•		•	•
	4WM70A	1372 x 45,7	54 x 150		•										•		•	•	•					•	•	•	•
HP Prime Matte Air GR	4WM72A	1524 x 45,7	60 x 150	F	•		$\Box$			1						_	•	•	•					•	•	•	•
(REACH compliant) <sup>4</sup>	6NA48A	1372 x 50		-			_			_					•	-		•	•					•	•	•	
HD Grip Matte Delumeric Air	6NA49A 4WM05A	1524 x 50 1372 x 45,7	54 x 150							-					•	_		•	•					•		•	•
HP Grip Matte Polymeric Air (REACH compliant)4	4WM06A	1524 x 45,7	60 x 150												_	_		•	•					•		•	•
	4WM08A	1372 x 45,7	54 x 150		•										•	_		•	•					•	•		•
HP Optimal Gloss Air GRP	4WM10A	1524 x 45,7	60 x 150													(		•	•					•	•	•	•
(REACH compliant) <sup>4</sup>	6GA37A	1372 x 50				•	_[			[					•		•	•	•					•	•	•	•
	6GA39A	1524 x 50														1 (											

## **HP Sign and Display Printing Materials**

For HP large format printers compatibility and availability information

	<b>HP Sign</b>	patibil and Displ g Material		1 '	Regi ailab	on oility	All			nch co		r ava	ailabilit	y vari	ies by i Iiddle E	egion. ast, a	. Ame	ericas i rica. Al	nclude V inclu	es the	Unite	d State	es, Can	x Techr nada, and l an.		
HP Self-adhesive Materials (conti	Part number	Metric size (mm x m)	Imperial size (in x ft) 2 Pack	Americas	Europe	APJ	Design Jet L25500	<b>Latex 210</b> (Design/let L26100)	Latex 260 (DesignJet L26500)	<b>Latex 280</b> (DesignJet L28500)	Latex 115 Latex 115 Cut/Print	and Cut Plus Solutions	Latex 310/315 3	and Cut Plus Solutions		Latex 335 Cut/Print and Cut Plus Solutions	Latex 37 0/375 & X	Latex 560/570 apui	Scitex LX600 GosignJet L65500)	Scitex LX800	Latex 820 (Scitex LX820)	Latex 850 (Scitex LX850)	Latex 1500	Latex 3000/3100 3200/3500/3600, 3800 Jumbo Roll Solution	Latex R2000/R2000 Plus/R1000/R1000	Latex 80 0/800 W/ 700/700 W
nr Seu-aunesive materials (conti	1TH62A	1372 x 45,7	54 x 150	T	Т	Τ	П	T		Π		Т	•				•									1
HP Gloss Polymeric	1TH63A	1524 x 45,7	60 x 150														•	•					•		•	•
Overlaminate	6GA31A	1067 x 50		T	•						•	T	•		•		•	•					•		•	•
(REACH compliant) <sup>4</sup>	6GA32A	1372 x 50			•						•		•				•	•					•		•	•
	6GA34A	1524 x 50			•												•	•					•		•	•
	1TH72A	1372 x 45,7	54 x 150								•		•			)							•		•	•
HP Matte Polymeric	1TH73A	1524 x 45,7	60 x 150	•	1							$\downarrow$					•	•					•		•	•
Overlaminate	6GA68A	1067 x 50		1	•							4	•				•	•					•	$\vdash$	•	•
(REACH compliant) <sup>4</sup>	6GA69A	1372 x 50		_	•						•	4	•				•	•					•	<u> </u>	•	•
	6GA71A	1524 x 50		+	•	4						4					•						•		•	•
HP Clear Gloss Cast Overlaminate	CH037A	1372 x 45,7	54 x 150	•	1	1						4													$\perp$	
(REACH compliant) <sup>4</sup>	CH036A	1524 x 45,7	60 x 150	•																						
	J3H62A	914 x 45,7	36 x 150			•		•	_	•	•	$\Box$	•				•	•			•		•	•	•	•
	J3H63A	1067 x 45,7	42 x 150							•	•		•			)	•				•		•	•	•	•
HP Permanent Gloss Adhesive	J3H64A	1372 x 45,7	54 x 150	•	•	•		•		•	•	_	•			_	•	•			•		•	•	•	•
Vinyl (REACH compliant)⁴	J3H66A	1524 x 45,7	60 x 150					•				$\perp$									•		•	•	•	•
	J3H65A	1372 x 91,4	54 x 300	•		•		•	<u> </u>	•	•	_	•			$\rightarrow$	•	•					•	•	•	•
	J3H67A	1524 x 91,4	60 x 300			•					_	4					•	•					•	•	•	
	J3H68A	762 x 45,7	30 x 150	•	1			•	_	•	•	_	•				•	•			•		•	•	•	•
	J3H69A	914 x 45,7	36 x 150	•	-	•				•		_	•			_	•	•			•		•	•	•	•
HP Permanent Matte Adhesive	J3H70A	1067 x 45,7	42 x 150	•		•		•		•	•	4	•		•	_	•	•			•		•	•	•	•
Vinyl (REACH compliant)4	J3H71A	1372 x 45,7	54 x 150	•				•		•	•	4	•			$\rightarrow$	•	•			•		•	•	•	•
	J3H73A	1524 x 45,7	60 x 150	•				•		•							•	•			•		•	•	•	•
	J3H72A	1372 x 91,4	54 x 300		10	•		•		•	•	_	•				•	•					•	•	•	•
	J3H74A	1524 x 91,4	60 x 300	•	1	•		•	_	•							•	•					•	•	•	•
HP Premium Removable	P5K44A	1372 x 45,7	54 x 150		4	+		•			•	+	•				•						•	•	•	•
Gloss Adhesive Vinyl (REACH compliant)⁴	P5K45A	1524 x 45,7	60 x 150		4			•		•		$\perp$	_			_	•	•					•	•	•	•
(NEACH compliant)	2CE99A	1372 x 91,4	54 x 300		4	+		-	<u>,                                     </u>			4	•				•	-			_		-	-	-	
	D9R24A	914 x 30,5	36 x 100	_	1		•		_	•	•	4	•			_	•	•			•		•	•	•	•
HP Everyday Adhesive	D9R25A	1067 x 30,5	42 x 100			<u> </u>	•		_	•	•	4	•				•	•			•		•		•	_
Matte Polypropylene, 3-in Core	D9R26A	1270 x 30,5	50 x 100	•		<u> </u>	60		<u> </u>	•	•		•				•	•			•		•	•	•	
	D9R27A	1524 x 30,5	60 x 100				60											•					•			
HP Films		1		_	_	_													_							
	CR660B	914 x 30,5	36 x 100	•			•		_	•	•	4	•				•	•			<u> </u>		•	•		•
HP Backlit Polyester Film 🚱 1	CR661B	1067 x 30,5	42 x 100				•			•			•	)			•				•		•	•	•	
ne packili Polyestei Filili 💮	CR662B	1372 x 30,5	54 x 100				60						•	)				•					•		•	
	CR663B	1524 x 30,5	60 x 100				60					П					•				•		•		•	
	Y3Z17A	914 x 30,5	36 x 100							•	•	$\Box$	•	)			•	•					•	•	•	•
HP Everyday Blockout Display Film (REACH compliant) <sup>4</sup>	Y3Z19A	1270 x 30,5											•	)			•						•		•	•
riuii (KEACH COIIIpudiit)	Y3Z20A	1524 x 30,5	60 x 100							•		$\exists$					•	•					•	•	•	•
HP Fabric		1																								
HP Light Fabric	J7U83A	1067 x 45,7	42 x 150						6,7	<b>0</b> 7						8	•	<b>9</b>					10	11		
(REACH compliant and	J7U84A	1372 x 45,7	54 x 150						6, 7	<b>0</b> 7		$\neg$			•	8	•	<b>9</b> 9					10	11	$\top$	
OEKO-TEX® certified)4,5 🛞1	J7U85A	1524 x 45,7	60 x 150						6,7	7		1				8	•	9					10	11		•
HP Wallcoverings		1	1														_									
	CH098B	1067 x 30,5	42 x 100	1									•	,			•				•					
HP PVC-free Wall Paper (FSC® and UL GREENGUARD	CH003B	1372 x 30,5	54 x 100				60			•	•	$\dashv$	•				•	•			•				•	_
Gold certified) <sup>13,14</sup>		-					60	-		-		+	-		<del></del>		<u> </u>	-			•		-		+ -	
	CH103A	1372 x 91,4	54 x 300	-		+	-	+ -		•	<u> </u>	_					•	•			_		+-	-	•	_
HP PVC-free Durable Smooth Wall Paper (REACH compliant.	E4J52A	1067 x 30,5	42 x 100		4	-	•		_	•	•	1	•				•	•			•		•	•	•	_
FSC® and UL GREENGUARD	E4J53A	1372 x 30,5	54 x 100	•		•	60	•	_	•	•	_	•	)	•		•	•			•		•	•	•	-
Gold certified) <sup>4,13,14</sup>	V1Q57A	1372 x 91,4	54 x 300				60			•							•	•			•		•	•	•	
HP PVC-free Durable Suede Wall Paper (REACH compliant, FSC® and UL GREENGUARD	W4Z06A	1372 x 30,5	54 x 100	•			60	•		•	•		•		•		•	•			•		•	•	•	
Gold certified) <sup>4,13,14</sup> HP Non-woven Durable Suede	W4Z07A	1372 x 91,4	54 x 300				60	•		•		+						•			•		•	•	•	
Wall Paper (REACH compliant, FSC® and UL GREENGUARD Gold certified) <sup>4,13,14</sup>	2Q239A	1372 x 120			•		•	•		•	•		•	)	•		•	•			•		•	•	•	•

## **HP Sign and Display Printing Materials**

For HP large format printers compatibility and availability information

	<b>HP Sign</b>	<b>patibil</b> n and Disp g Materia		rt	1	egio ilabi		All			nch co	re. Printer	avi	t, and s ailability va es Europe,	aries t	y regior le East, a	n. Ame and Af	ericas rica. Al	nclud 9J incli	es the	Unite	d Stat	es, Can	ada, and L		
	Part number	Metric size (mm x m)	Imperial size (in x ft)	2 Pack	Americas	Europe	АРЈ	Design Jet L25500	Latex 210 (DesignJet L26100)	(Design Jet L26500)	Latex 280 (Design Lz 8500)	Latex 115 Latex 115 Cut/Print	nd Cut Plus Solutions	Latex 31 0/315 3 Latex 31 5 Cut/Print and Cut Plus Solutions	Latex	Latex 335 Cut/Print Hand Cut Plus Solutions	Latex 370/375 ap		Scitex LX600 (DesignJet L65500)	Scitex LX800	Latex 820 (Scitex LX820)	Latex 850 (Sdtex LX850)	Latex 1500	Latex 3000/3100 3200/3500/3600, 3800 Jumbo Roll Solution	Latex R2000/R2000 Plus/R1000/R1000 Plus	Latex 80 0/800 W/ 700/700 W
HP Papers/Photographic Papers		Σ5	ES	7	Ā	ū	A	٥	e	9.5	96	ב ב	ā	2 2 2	Z %	9 12 1	ت	تد	ν̈́Θ	Ň	S,	30	تر	2886	355	725
	CH010A	1067 x 61	42 x 200		•	•	•	•	•		•	•		•		•	•	•		-				•	•	•
HP White Satin Poster Paper (FSC® certified) <sup>13</sup> (*) <sup>15</sup>	CH001A	1372 x 61	54 x 200		•	•	•	60	•		•	•		•		•	•	•		-	•			•	•	•
(i Sc certified)	CH002A	1524 x 61	60 x 200		•	•	•	60	•		•					•	•	•		(				•	•	•
	CG419A	914 x 61	36 x 200		•	•	•	•	•		•		П							- (			•	•	•	
HP Photo-realistic Poster Paper €15	CG420A	1372 x 61	54 x 200		•	•	•	60	•		•									-			•	•	•	
rostei rapei 💮	CG421A	1524 x 61	60 x 200	Т	•	•	•	60	•		•				$\top$						•		•	•	•	Т
	Z6G70A	762 x 45,7	30 x 150											•		•	•	•								•
	4WM99A	914 x 45,7				•			i -					•	1	•	•	•								•
HP Satin Wrapping Paper,	4WN17A	610 x 152,4	24 x 500	•										•		•	•	•								•
3-in Core (FSC® certified) <sup>13</sup> 🛞 <sup>15</sup>	6SE66A	762 x 152,4	30 x 500	•	•									•		•	•	•								•
	4WN18A	914 x 152,4	36 x 500	•												•		•								•
	N3T48A	914 x 152,4	36 x 200			•	•				•		-	•		•	•	•								
HP Premium Poster Paper																					_		-	-	+-	+
(FSC® certified)13 (2)15	N3T49A	1372 x 61	54 x 200	-	-	•	•		•		•			•	+	•	•	•					•	•	•	•
	N3T50A	1524 x 61	60 x 200		•	•	•	_	•	_	•	_			$\perp$	•	•	•					•	•	•	•
HP Universal Heavyweight	D9R44B	914 x 61	36 x 200		•			•	•			•		•		•	•	•					•	•	•	•
Coated Paper, 3-in Core (FSC® certified) <sup>13</sup> (**) <sup>15</sup>	D9R46B	1372 x 61	54 x 200		•			60	•		•	•		•	$\perp$	•	•	•					•	•	•	•
(F3C * Certified) *	D9R47B	1524 x 61	60 x 200		•			60	•		•					•	•	•		(			•	•	•	•
	D9R36A	914 x 61	36 x 200		•			•	•		•	•		•		•	•	•		-			•	•	•	•
HP Super Heavyweight	D9R37A	1067 x 61	42 x 200		•			•	•		•	•		•		•	•	•					•	•	•	•
Plus Matte Paper, 3-in Core (FSC® certified) <sup>13</sup> (**) <sup>15</sup>	D9R38A	1372 x 61	54 x 200		•			60	•		•	•		•		•	•	•		-			•	•	•	•
•	D9R39A	1524 x 61	60 x 200		•			60	•		•					•	•	•		-			•	•	•	•
	E4J42A	914 x 30,5	36 x 100		•		•		•		•	•		•	Т	•	•	•					•			•
UD Desfersional Class Dhata	E4J43A	1067 x 30,5	42 x 100								•			•		•		•					•			
HP Professional Gloss Photo Paper (FSC® certified) <sup>13</sup>	E4J44A	1372 x 30,5	54 x 100		•	•	•				•	•		•	+	•	•	•					•		•	•
											•					•	•	•								•
	E4J45A	1524 x 30,5	60 x 100	-			-	-			_		4		+		-	+					+		-	Ť
	E4J46A	914 x 30,5	36 x 100	$\vdash$	•	•	•		•		•	•		•	-	•	•	•					•		•	•
HP Professional Satin Photo Paper (FSC® certified) <sup>13</sup>	E4J47A	1067 x 30,5	42 x 100	-	•	•	•				•	•	4	•	-	•	•	•					•		•	•
raper (rsc* certified)**	E4J48A	1372 x 30,5	54 x 100	$\vdash$	•	•	•		•	•	•	•		•	_	•	•	•					•		•	•
	E4J49A	1524 x 30,5	60 x 100		•	•	•		•		•				_	•	•	•					•		•	•
	E4J38A	914 x 30,5	36 x 100		•	•			•		•	•		•		•	•	•					•	•	•	•
HP Everyday Satin Photo Paper	E4J39A	1067 x 30,5	42 x 100		•	•	•		•		•	•		•		•	•	•					•	•	•	•
(FSC® certified) <sup>13</sup>	E4J40A	1372 x 30,5	54 x 100	╙	•	•	•		•		•	•		•		•	•	•					•	•	•	•
	E4J41A	1524 x 30,5	60 x 100		•	•	•		•		•					•	•	•					•	•	•	•
	K6B77A	610 x 30,5	24 x 100		•	•	•					•		•		•	•								•	
HP Matte Litho-realistic Paper,	K6B78A	914 x 30,5	36 x 100		•	•	•					•		•		•	•								•	
3-in Core (FSC® certified) <sup>13</sup> (A) <sup>15</sup>	K6B80A	1118 x 30,5	44 x 100		•	•	•					•		•		•	•								•	
	K6B82A	1524 x 30,5	60 x 100		•	•										•	•								•	
HP Canvas Materials																										
	3D8B9A	762 x 22,9	30 x 75		•				•		•	•		•	$\perp$	•	•	•	$\Box$				•	•	•	•
HP Recycled Satin Canvas	3D8C1A	1372 x 22,9	54 x 75		•						•	•		•		•	•	•					•	•	•	•
(Latex/solvent), 3-in Core	3D8C3A	1524 x 22,9	60 x 75		•				•		•		1		Γ	•	•	•					•	•	•	•
(REACH compliant)⁴ (♣)¹	3D8C2A	1372 x 45,7	54 x 150		•				•		•	•		•		•	•	•					•	•	•	•
	3D8C4A	1524 x 45,7	60 x 150		•				•		•					•	•	•					•	•	•	•
	E4J26A	762 x 22,9	30 x 75		•	•	•				•	•		•		•	•	•					•	•	•	•
	E4J27A	914 x 22,9	36 x 75		•	•	•		•		•	•		•		•	•	•					•	•	•	•
HP Premium Satin Canvas	E4J28A	1372 x 22,9	54 x 75		•	•	•		•		•	•		•		•	•	•					•		•	•
	E4J29A	1524 x 22,9	60 x 75		•	•	•				•					•	•	•					•			•
	E4J30A	762 x 22,9	30 x 75							-	•	•		•	t	•	•	•					•		•	•
	E4J31A	914 x 22,9	36 x 75	Г	•						•	•		•		•	•	•								
HP Everyday Satin Canvas	E4J32A	1372 x 22,9	54×75		•						•	•		•		•	•	•					•			•
		+									•					•	•	•								-
	E4J33A	1524 x 22,9	60 x 75		_			$\perp$	_	•						_										

# HP Sign and Display Printing Materials For HP large format printers

Compatibility and availability information




# HP Sign and Display Printing Materials For HP large format printers

## Compatibility and availability information

The following HP large format printing materials have approved certifications. For more information see HPLFMedia.com/hp/en/certifications

	B1	NFPA	CA 1237	Class A	EN 13501	M1	ISO 5660	CE	ASTM E84	ASTM F793	OEKO-TEX®⁴	Anti-Slip	Article 33
HP Durable Backlit Fabric	•	•			•								
HP Light Fabric	•	•				•			İ		•		
HP Opaque Scrim	•	•							Ì				
HP PVC-free Wall Paper	•			•	•	•	•	•					
HP PVC-free Durable Smooth/Suede Wall Paper	•		•	•		•	•	•	•	•			
HP Prime Gloss CP	•												
HP Prime Gloss/Matte Air GP	•												
HP Prime Matte Air GR	•												
HP Optimal Gloss Air GRP	•												
HP Gloss/Matte Polymeric Overlaminate	•												
HP Backlt Polyester Film									•				
HP Grip Matte Polymeric Air	•												
HP Vital Gloss/Matte GR	•												
HP Vital Gloss/Matte CP	•												
HP Gloss/Matte Monomeric Overlaminate	•												
HP Removable Adhesive Fabric									•			•	
HP 13-oz Prime Gloss & Matte Banner		•											•
HP 15-oz Prime Double-sided Banner		•											
HP 18-oz Prime Double-sided PoleBanner		•											







The mark of responsible forestry









HP Inc., Palo Alto CA, 94304 Manufactured 2011 2812-CPR-KA5014

EN 15102

# **HP Sign and Display Printing Materials**

## For HP large format printers Compatibility and availability information


Unprinted HP Heavy Textile Banner and HP Light Fabric are OEKO-TEX® certified according to OEKO-TEX® Standard 100, which is a globally uniform testing and certification system for textile raw materials, intermediate, and end products at all stages of production.

FSC®-certified HP printing materials carry the Forest Stewardship Council® (FSC) Mix label, signifying that these media support the development of responsible forest management worldwide. The wood comes from FSC®-certified well managed forests, company controlled sources, and/or recycled material.

Note: Not all FSC®-certified products are available in all regions.

Odorless indoor wall decorations printed on HP PVC-free Wall Paper with HP Latex Inks are GREENGUARD GOLD Certified.

Keep printing materials out of landfill with HP recyclable media eligible for free return and recycling through the HP Large Format Media take-back program.



- <sup>3</sup> Requires roll-to-roll upgrade kit.
- <sup>4</sup> Requires 3-in core adaptor.
- Unprinted HP Heavy Textile Banner and HP Light Textile Display Banner are OEKO-TEX® certified according to OEKO-TEX® Standard 100, which is a globally uniform testing and certification system for textile raw materials, intermediate, and end products at all stages of production. Tested for emissions of volatile organic compounds and chemical residues such as pesticides, allergy-inducing dyestuffs, or tin-organic compounds.
- <sup>6</sup> Purchase of a take-up reel required for compatibility with the HP Latex 210 Printer.
- <sup>7</sup> Compatible with the HP Latex 360 Printer only.
- <sup>8</sup> To print on porous textiles, it is necessary to use the ink collector (CZ065A) for the HP Latex 3000 Printer.
- 9 BMG trademark license code FSC®-C115319, see <u>fsc.org</u>. HP trademark license code FSC®-C017543, see <u>fsc.org</u>. For information about HP large format printing materials, please visit <u>HPLFMedia.com</u>.
- HP PVC-free Wall Paper printed with HP Latex Inks is GREENGUARD GOLD Certified. GREENGUARD GOLD Certification to UL 2818 demonstrates that products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit <u>ul.com/gg</u> or greenguard org.
- <sup>11</sup> Can be recycled through commonly available recycling programs.

#### **HP Environmentally Assured Printing Materials**

From trade show signage, exhibition graphics, point-of-purchase displays, and wall murals inside to banners, light boxes, event banners, and vehicle graphics outside, choose from a wide range of HP printing materials—designed together with Original HP inks to deliver high-quality, durable output.

#### Win the business of customers who are going green

The HP large format printing materials portfolio includes a wide variety of recyclable substrates<sup>12</sup> and a range of alternatives to PVC. HP recyclable media can be returned through the HP Large Format Media take-back program available in North America and Europe.<sup>12</sup>

#### The HP Large Format Media take-back program— available in North America and Europe<sup>12</sup>

For over 15 years, HP has made it easy to recycle HP ink cartridges, printers, and other technology products. As part of the HP Planet Partners program, this free and convenient return and recycling program makes it easy for you and your customers to return recyclable HP media. Simply pack up eligible printing materials. HP picks up the shipping expense and handles sorting and recycling.

This free recycling service is open to customers in North America and Europe. 12

The program allows you to return and recycle any of the following HP large format printing materials:

- HP Everyday Matte Polypropylene, 3-in Core
- HP Backlit Polyester Film
- HP Light Fabric







The mark of

Note: Not all FSC®-certified products are available in all regions.

- 12 HP Large Format Media take-back program availability varies. Some recyclable HP papers can be recycled through commonly available recycling programs. Recycling programs may not exist in your area. See HPLFMedia.com/hp/ ecosolutions for details.
- Unprinted HP Heavy Textile Banner and HP Light Textile Display Banner are OEKO-TEX® certified according to OEKO-TEX® Standard 100, which is a globally uniform testing and certification system for textile raw materials, intermediate, and end products at all stages of production. Tested for emissions of volatile organic compounds and chemical residues such as pesticides, allergy-inducing dyestuffs, or tin-organic compounds.
- GREENGUARD GOLD Certification to UL 2818 demonstrates that products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit ul.com/gg or

greenguard.org.

- 15 BMG trademark license code FSC®-C115319, see **fsc.org**. HP trademark license code FSC®-C017543, see fsc.org. Not all FSC®certified products are available in all regions.
- To obtain US LEED credits based on FSC® certification, the builder must purchase HP PVC-free Wall Paper printed with HP Latex Inks from an FSC® Chain of Custody certified print service provider. To obtain LEED credits based on GREENGUARD GOLD Certification, HP PVC-free Wall Paper printed with HP Latex Inks must be part of a wall system in which all components are GREENGUARD GOLD Certified.
- HP PVC-free Wall Paper printed with HP Latex Inks meets AgBB criteria for health-related evaluation of VOC emissions of indoor building products. See umweltbundesamt.de/en/ topics/health/commissions-working-groups/ ausschuss-zur-gesundheitlichen-bewertungvon.

## Original HP large format printing materials

The following HP large format printing materials can be recycled through commonly available recycling programs:

- HP 20-lb Bond with ColorPRO Technology, 3-in Core
- HP 24-lb Bond with ColorPRO Technology, 3-in Core
- HP Backlit Polyester Film, 3-in Core
- HP Backlit Polvester Film
- HP Bright White Inkjet Paper
- HP Bright White Inkjet Paper, 3-in Core
- HP Clear Film
- HP Coated Paper
- HP Double Matte Film, 3-in Core
- HP Durable Synthetic Banner, 2 Pack
- HP Everyday Instant-dry Gloss Photo Paper
- HP Everyday Instant-dry Satin Photo Paper
- HP Everyday Matte Polypropylene, 2 Pack
- HP Everyday Matte Polypropylene, 3-in Core
- HP Foldable Durable Synthetic Banner
- HP Gloss Poster Paper, 3-in Core
- HP Heavyweight Coated Paper
- HP Light Fabric
- HP Matte Film
- HP Matte Litho-realistic Paper, 3-in Core
- HP Natural Tracing Paper
- HP Opaque Scrim
- HP Photo-realistic Poster Paper
- HP Premium Bond Paper, 3-in Core
- HP Premium Instant-dry Gloss Photo Paper
- HP Premium Instant-dry Satin Photo Paper
- HP Premium Matte Photo Paper
- HP Premium Matte Polypropylene, 2 Pack
- HP Premium Poster Paper
- HP Premium Vivid Color Backlit Film
- HP Production Matte Poster Paper, 3-in Core
- HP Production Satin Poster Paper, 3-in Core
- HP Production Matte Polypropylene, 3-in Core
- HP Professional Instant-dry Satin Photo Paper, 3-in Core
- HP Recycled Satin Canvas
- HP Satin Wrapping Paper, 3-in Core
- HP Splash-resistant Bond Paper
- HP Super Heavyweight Plus Matte Paper, 3-in Core
- HP Super Heavyweight Plus Matte Paper
- HP Special Inkjet Paper
- HP Translucent Bond Paper
- HP Universal Bond Paner
- HP Universal Bond Paper, 3-in Core
- HP Universal Coated Paper
- HP Universal Coated Paper, 3-in Core
- HP Universal Gloss Photo Paper
- HP Universal Heavyweight Coated Paper • HP Universal Heavyweight Coated Paper, 3-in Core
- HP Universal Instant-dry Gloss Photo Paper
- HP Universal Instant-dry Satin Photo Paper
- HP Universal Satin Photo Paper
- HP White Satin Poster Paper

To learn how to participate, see HPLFMedia.com/hp/ecosolutions.

#### Offer reassurance for indoor prints with HP printing materials that are approved according to health-related environmental criteria

Do your customers expect evidence that your solution really does reduce the impact of printing on the environment? When you use approved HP solutions—including HP Latex Inks and HP large format printing materials—you can provide reassurance. With the OEKO-TEX® label, HP Heavy Textile Banner and HP Light Textile Display Banner, for indoor display, offer reassurance that emissions levels and chemical residues meet the criteria for OEKO-TEX® labeled products—products tested and certified from a human health perspective.<sup>13</sup> In addition, HP Latex Ink prints are GREENGUARD GOLD Certified<sup>14</sup> on FSC®-certified<sup>15</sup> HP PVC-free Wall Paper and can help building owners obtain LEED credits. 16 Prints also meet AgBB criteria. 17

## **Digital fine art**

#### HP Professional Gloss Photo Paper FSC® certified

This outstanding, heavyweight, resin-coated photo paper is ideal for either custom or high-volume photographic printing projects. The bright-white finish provides a high dynamic range and a wide color gamut for color-critical, eye-catching reproductions on a gloss finish.

Weight: 275 g/m<sup>2</sup> Thickness/caliper: 248 microns/9.8 mil

#### **HP Professional Satin Photo** FSC® certified

This outstanding, heavyweight, resin-coated photo paper is ideal for either custom or high-volume photographic printing projects. The bright-white finish provides a high dynamic range and a wide color gamut for color-critical, eye-catching reproductions on a satin finish.

Weight: 275 g/m<sup>2</sup> Thickness/caliper: 248 microns/9.8 mil

#### HP Recycled Satin Canvas (Latex/solvent), 3-in Core 🐴



Weight: 330 g/m<sup>2</sup> Thickness/caliper: 441 microns/17.4 mil

**HP Everyday Satin Photo Paper** FSC® certified

Produce high quality with this resin-coated paper for high-volume production printing. Ideal for production runs of photo enlargements, posters, and displays and designed for HP Latex printers, this resin-coated photo paper provides an economical price point without sacrificing quality.

Weight: 180 g/m<sup>2</sup> Thickness/caliper: 187 microns/7.4 mil

#### **HP Premium Satin Canvas**

HP Premium Satin Canvas captures the intricate details that reflect the aesthetic intent of the artist. With its larger color gamut, fine art and photographic reproductions are accurate and consistent, to help you gain happy customers and repeat business.

Weight: 381 g/m<sup>2</sup> Thickness/caliper: 462 microns/18.2 mil

#### HP Everyday Satin Canvas 🐴 FSC® certified

Ideal for décor and display work, HP Everyday Satin Canvas produces sharp detail and vivid, accurate color in a slightly-textured, satin, production-oriented canvas.

Weight: 340 g/m<sup>2</sup> Thickness/caliper: 444 microns/17.5 mil

#### HP Photo-realistic Poster Paper 🛟

HP Photo-realistic Poster Paper is a recyclable, 18 highly versatile media that delivers vibrant, photo-realistic prints for a wide range of indoor graphic applications, such as posters, point-of-purchase displays, and decorations. An affordable alternative to photo media, HP Photo-realistic Poster Paper also offers easy post-print processing to simplify the workflow and maximize productivity.

Weight: 205 g/m<sup>2</sup> Thickness/caliper: 205 microns/8.1 mil

#### HP Super Heavyweight Plus Matte Paper, 3-in Core 🐴

Produce razor-sharp image quality and ripple-free prints—even under high ink densities—with this best-in-class graphics display paper that includes a barrier layer beneath a thick top coating and an ultra-white matte finish for a rich, distinctive look and feel.

Weight: 200 g/m<sup>2</sup> Thickness/caliper: 264 microns/10.4 mil

#### HP Matte Litho-realistic Paper, 3-in Core 🔼

HP Matte Litho-realistic Paper, with a color-stable coating, has the look and feel of heavy, offset paper.

Weight: 269 q/m<sup>2</sup> Thickness/caliper: 307 microns/12.1 mil

#### HP Satin Wrapping Paper, 3-in Core 🛟 FSC® certified

Print personal images, logos, and messages, with this customizable wrapping paper. Offer your customers this profitable, custom wrapping paper with little to no investment.

Weight: 269 g/m<sup>2</sup> Thickness/caliper: 307 microns/12.1 mil

Vibrant color/ fine detail	Canvas	Photo quality	Durable	Water resistant
<b>~</b>		~	Indoor	~
<b>~</b>		~	Indoor	~
<b>~</b>		~	Indoor	~
<b>~</b>	~	~	Indoor	*
<b>~</b>	~	~	Indoor	~
~		~	Indoor	~
	fine detail	fine detail Canvas	fine detail Canvas quality	fine detail  Canvas quality  Indoor  Indoor  Indoor  Indoor  Indoor  Indoor  Indoor  Indoor  Indoor



REACH

Can be recycled through commonly available recycling programs.

## **POP** posters

#### **HP Premium Poster Paper** FSC® certified

Optimize your everyday printing with the reliable, trouble-free performance of this economical paper specially designed to eliminate heater marks, head strikes, and inaccurate color. Produce vivid colors and crisp text and graphics on this recyclable, FSC®-certified paper that's available in a range of sizes including jumbo rolls (made to order).

Weight: 216 g/m<sup>2</sup> Thickness/caliper: 203 microns/8 mil

#### **HP Professional Satin Photo** FSC® certified

This outstanding, heavyweight, resin-coated photo paper is ideal for either custom or high-volume photographic printing projects. The bright-white finish provides a high dynamic range and a wide color gamut for color-critical, eye-catching reproductions on a satin finish.

Weight: 275 q/m<sup>2</sup> Thickness/caliper: 248 microns/9.8 mil

#### HP Everyday Satin Photo Paper 🛟 FSC® certified

Produce high quality with this resin-coated paper for high-volume production printing. Ideal for production runs of photo enlargements, posters, and displays and designed for HP Latex printers, this resin-coated photo paper provides an economical price point without sacrificing quality.

Weight: 180 g/m<sup>2</sup> Thickness/caliper: 187 microns/7.4 mil

#### **HP White Satin Poster Paper** FSC® certified

This multilayer recyclable<sup>19</sup> poster paper with a bright white satin finish produces richly detailed posters and water-resistant<sup>20</sup> prints and is qualified for billboard applications. Scratch-resistant prints keep the image intact when folding and achieve up to 6 months display permanence outdoors, unlaminated.<sup>21</sup>

Weight: 136 g/m<sup>2</sup> Thickness/caliper: 165 microns/6.5 mil

#### HP Photo-realistic Poster Paper 🛟

move quickly to lamination and display.

HP Photo-realistic Poster Paper is a recyclable, 19 highly versatile media that delivers vibrant, photo-realistic prints for a wide range of indoor graphic applications, such as posters, point-of-purchase displays, and decorations. An affordable alternative to photo media, HP Photo-realistic Poster Paper also offers easy post-print processing to simplify the workflow and maximize productivity.

Weight: 205 g/m<sup>2</sup> Thickness/caliper: 205 microns/8.1 mil

#### HP Backlit Polyester Film 🛟

Create high-impact backlits with the sharp, vibrant color that commands attention. With a specially engineered porous coating, the recyclable, <sup>19</sup> polyester backlit film achieves superb ink adhesion to produce razor-sharp images. And this high-performance film helps you keep peak productivity. With a high-end polyester base and compatibility with HP Latex Inks, this film provides a sturdy construction and quick-dry performance to help you

Weight: 275 g/m<sup>2</sup> Thickness/caliper: 220 microns/8.7 mil

#### HP Everyday Adhesive Matte Polypropylene, 3-in Core 🛟

Meet your day-to-day production needs with this versatile, easy-to-use self-adhesive printing material. Produce outstanding image quality and vibrant color. Instant-dry prints help keep your workflow moving smoothly.

Weight: Thickness/caliper:

With liner: 168 g/m2 With liner: 215 microns/8.5 mil Without liner: 95 g/m2 Without liner: 160 microns/6.3 mil

#### HP Super Heavyweight Plus Matte Paper, 3-in Core 💞

Produce razor-sharp image quality and ripple-free prints—even under high ink densities—with this best-in-class graphics display paper that includes a barrier layer beneath a thick top coating and an ultra-white matte finish for a rich, distinctive look and feel. This paper helps you achieve a new level of productivity by delivering broad application versatility, instant dry time, and excellent film laminate compatibility. And this paper can be recycled through commonly available recycling programs.

Weight: 200 g/m2 (55 lb) Thickness/caliper: 264 microns/10.4 mil

#### HP Everyday Matte Polypropylene, 3-in Core 🛟

Produce high-impact signs with this versatile, durable matte polypropylene film. This tear-resistant substrate is easy to use and handle, is ideal for both indoor and outdoor applications, and is recyclable through the HP Large Format Media take-back program.<sup>23</sup>

Weight: 120 g/m<sup>2</sup> Thickness/caliper: 203 microns/8 mil

#### **HP Satin Wrapping Paper** FSC® certified

Produce high-quality wrapping paper and posters that provide excellent image quality.


Weight: 100 g/m<sup>2</sup> Thickness/caliper: 99 microns/3.9 mil

<sup>19</sup> Can be recycled through commonly available recycling programs.

- With HP Latex Inks. Water resistance testing by HP Image Permanence Lab on a wide range of media, including HP media; water resistance is comparable to eco- and low-solvent inks when printed on water-resistant substrates. Water resistance testing follows ISO 18935 method. Results may vary based on specific media performance. For more information, see HPLFMedia.com/hp/printpermanence.
- With HP Latex Inks. HP image permanence and scratch, smudge, and water resistance estimates by HP Image Permanence Lab on a range of media including HP printing materials. For more information, see HPLFMedia.com/hp/ printpermanence.
- HP Large Format Media take-back program availability varies. Recycling programs may not exist in your area. See HPLFMedia.com/hp/ ecosolutions for details.
- HP Large Format Media take-back program availability varies. Recycling programs may not exist in your area. See HPLFMedia.com/hp/ ecosolutions for details.
- 100% of total PET resin in the product made from recycled water bottles. The coating does not contain recycled materials. Certified according to Global Recycled Standard (GRS) Version 3.0, March 2017.

# POP posters (continued)

Application needs:	Vibrant color/ fine detail	Water resistant	Productive
HP Premium Poster Paper	•	~	<b>~</b>
HP Professional Gloss Photo Paper	<b>~</b>	~	~
HP Professional Satin Photo Paper	•	~	<b>~</b>
HP Everyday Satin Photo Paper 🍪	<b>~</b>	~	~
HP White Satin Poster Paper 🛞	<b>~</b>	~	<b>~</b>
HP Photo-realistic Poster Paper 🛞	•		<b>~</b>
HP Backlit Polyester Film 🛞	•		~
HP Everyday Adhesive Matte Polypropylene, 3-in Core	~	<b>~</b>	<b>~</b>
HP Super Heavyweight Plus Matte Paper, 3-in Core 🚱	<b>~</b>		<b>~</b>
HP Everyday Matte Polypropylene, 3-in Core 😭	<b>~</b>	<b>~</b>	<b>~</b>
HP Satin Wrapping Paper	<b>~</b>		~



## POP self-adhesive posters

#### **HP Prime Gloss CP**

See outstanding image quality with clear, permanent adhesive vinyl. Offer a vinyl that complies with high health standards—HP Prime Gloss CP is REACH compliant.

Weight: Thickness/caliper:

Liner: 140 g/m² DSPE paper liner Base film: 86 microns/3.4 mil

#### **HP Prime Gloss Air GP**

Produce outstanding, easy-to-install prints with a low-profile air release liner. Get maximum coverage with a gray permanent adhesive.

Weight: Thickness/caliper:

Liner: 160 g/m²DSPE paper liner Base film: 86 microns/3.4 mil

#### **HP Prime Matte Air GP**

See outsanding image quality and great hiding power with this gray permanent adhesive. Differentiate with environmental certifications.

Weight: Thickness/caliper:

Liner: 160 g/m²DSPE paper liner Base film: 86 microns/3.4 mil

#### **HP Optimal Gloss Air GRP**

Experience stunning print performance and ease of installation with HP's Optimal polymeric repositionable vinyl. Reduce inventory costs with the wide variety of applications that can be produced with HP Optimal Gloss Air GRP

Weight: Thickness/caliper:

Liner: 160 g/m² DSPE paper liner Base film: 76 microns/3 mil

#### **HP Gloss Polymeric Overlaminate**

Double your value with print film that doubles as high-performance, gloss overlaminate.

Weight: Thickness/caliper:

Liner: 140 g/m²DSPE paper liner Base film: 76 microns/3 mil

#### **HP Matte Polymeric Overlaminate**

Print high-quality, detailed graphics with this high-performance, calendered vinyl with a matte finish for indoor and outdoor signs and vehicle graphics. HP Matte Polymeric Overlaminate can also double as an overlaminate for printed images with the utmost protection.

Weight: Thickness/caliper:

Liner: 140 g/m² DSPE paper liner Base film: 76 microns/3 mil

#### **HP Premium Removable Gloss Adhesive Vinyl**

Enjoy the ease of working with this calendared vinyl with a gray removable adhesive for increased opacity. The special air-release liner is designed to eliminate air, prevent bubbling and wrinkling, and save time and money with efficient installation. HP Premium Removable Gloss Adhesive Vinyl is REACH compliant—a regulation of the European Union adopted to improve the protection of human health and the environment.

Weight: Thickness/caliper:

With liner: 298 g/m² With liner: 284 microns/11.2 mil
Without liner: 110 g/m² Without liner: 81 microns/3.2 mil

#### **HP Permanent Gloss Adhesive Vinyl**

Capture vibrant graphic detail, display brilliant color. From event signage to retail displays, achieve a high-quality look with this versatile, easy-to-handle, quick-mount self-adhesive vinyl—ideal for a wide range of indoor and outdoor applications. Offer a vinyl that complies with high health standards. HP Permanent Gloss Adhesive Vinyl is REACH compliant—a regulation of the European Union adopted to improve the protection of human health and the environment.

Weight: Thickness/caliper:

With liner: 270 g/m² With liner: 248 microns/9.8 mil Without liner: 145 g/m² Without liner: 121 microns/4.8 mil

#### **HP Permanent Matte Adhesive Vinyl**

Depend on lasting results. HP Permanent Matte Adhesive Vinyl is a high-quality, self-adhesive vinyl suitable for a wide range of outdoor and indoor applications—from murals, advertisements, and point-of-purchase displays to event signage. The highly opaque matte surface captures vibrant graphic details and displays brilliant, lasting colors. Offer a vinyl that complies with high health standards. HP Permanent Gloss Adhesive Vinyl is REACH compliant—a regulation of the European Union adopted to improve the protection of human health and the environment.

Weight: Thickness/caliper:

With Liner: 270 g/m² With Liner: 248 microns/9.8 mil
Without Liner: 150 g/m² Without Liner: 121 microns/4.8 mil



Some warranty limitations apply, see the warranty statements for HP self-adhesive printing materials including HP Permanent Gloss Adhesive Vinyl, HP Permanent Matte Adhesive Vinyl, and HP One-view Perforated Adhesive Window Vinyl at HPLFMedia.com/hp/ mediawarranties.

## POP self-adhesive posters

#### (continued)

#### HP Everyday Adhesive Matte Polypropylene, 3-in Core

Meet your day-to-day production needs with this versatile, easy-to-use self-adhesive printing material. Produce outstanding image quality and vibrant color. Instant-dry prints help keep your workflow moving smoothly.

Weight: Thickness/caliper:

With liner: 168 g/m² With liner: 215 microns/8.5 mil
Without liner: 95 g/m² Without liner: 160 microns/6.3 mil

#### **HP Grip Matte Polymeric Air**

HP Grip Matte Polymeric Air—with an aggressive, high-tack clear adhesive—is the ideal choice when mounting to rough surfaces or demanding low-energy plastics.

Weight: Thickness/caliper:

Liner: 160 g/m² DSPE paper liner Base film: 86 microns/3.4 mil

#### **HP Vital Gloss CPr**

Create high-impact signage with sharp, vibrant print quality while enjoying excellent value. Experience ease of installation with excellent lay-flat properties.

Weight: Thickness/caliper:

Liner: 135 g/m² DSPE paper liner Base film: 99 microns/3.9mil

#### **HP Vital Matte CP**

HP Vital Matte CP is flame-resistant and REACH compliant—a regulation of the European Union adopted to improve the protection of human health and the environment.

Weight: Thickness/caliper:

Liner: 135 g/m² DSPE paper liner Base film: 99 microns/3.9mil

#### **HP Vital Gloss GR**

Create high-impact removable signage with sharp, vibrant print quality while enjoying excellent value. The gray removable adhesive is opaque for maximum coverage.

Weight: Thickness/caliper:

Liner: 135 g/m²DSPE paper liner Base film: 99 microns/3.9mil

#### **HP Vital Matte GR**

Offer a vinyl that complies with high health and safety standards. HP Vital Matte GR is flame-resistant and REACH compliant.

Weight: Thickness/caliper:

Liner: 135 g/m² DSPE paper liner Base film: 99 microns/3.9mil

#### **HP Gloss Monomeric Overlaminate**

Partner HP Gloss Monomeric Overlaminate with HP Vital adhesive vinyls or other printed graphics for added protection of indoor and outdoor digital print applications..

Weight: Thickness/caliper:

Liner: 72 g/m² DSPE paper liner Base film: 80 microns/3.1 mil

#### **HP Matte Monomeric Overlaminate**

HP Matte Monomeric Overlaminate is designed to enhance the print image quality and protect the print from wear and tear.

Weight: Thickness/caliper:

Liner: 72 g/m² DSPE paper liner Base film: 80 microns/3.1 mil

#### HP Removable Adhesive Fabric, 3-in Core

Enjoy the ease of working with this repositionable adhesive-back fabric that is easy to install, reposition, and remove with virtually no residue.

Weight: Thickness/caliper:

Liner: 289 g/m Base film: 304 microns/12 mil

#### HP Prime Gloss Air GR

This gloss-finish, intermediate polymeric adhesive vinyl offers outstanding image quality and "pop". The gray removable adhesive is opaque for maximum coverage.

Weight: Thickness/caliper:

Liner: **146 g/m** Base film: **86 microns/3.4 mil** 

Some warranty limitations apply, see the warranty statements for HP self-adhesive printing materials including HP Permanent Gloss Adhesive Vinyl, HP Permanent Matte Adhesive Vinyl, and HP One-view Perforated Adhesive Window Vinyl at HPLFMedia.com/ mediawarranties

With HP Latex Inks. Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. For more information, see HPLFMedia.com/ printpermanence.

With HP Latex Inks. HP image permanence and scratch, smudge, and water resistance estimates by HP Image Permanence Lab on a range of media including HP printing materials. For more information, see HPLFMedia.com/ printpermanence.





# **Light boxes**

HP Backlit Polyester Film Create high-impact backlits with the sharp, vibrant color that commands attention. With a specially engineered porous coating, the recyclable, 28 polyester backlit film achieves superb ink adhesion to produce razor-sharp images. And this high-performance film helps you keep peak productivity. With a high-end polyester base and compatibility with HP Latex Inks, this film provides a sturdy construction and quick-dry performance to help you move quickly to lamination and display.

Thickness/caliper: 220 microns/8.7 mil Weight: 275 g/m<sup>2</sup>

Application needs:	Vibrant color/ fine detail	Durable (fade resistant)	Translucent
HP Backlit Polyester Film 🛞	<b>~</b>	<b>~</b>	~



<sup>&</sup>lt;sup>28</sup> HP Large Format Media take-back program availability varies. Recycling programs may not exist in your area. SeeHPLFMedia.com/ ecosolutions for details.

## **Light boxes**

#### **Paper**

#### **HP White Satin Poster Paper** FSC® certified

This multilayer recyclable<sup>29</sup> poster paper with a bright white satin finish produces richly detailed posters and water-resistant<sup>30</sup> prints and is qualified for billboard applications. Scratch-resistant prints keep the image intact when folding and achieve up to 6 months display permanence outdoors, unlaminated.<sup>31</sup>

Weight: 136 g/m² Thickness/caliper: 165 microns/6.5 mil

Application needs:	Vibrant color/ fine detail	Translucent	Productive
HP White Satin Poster Paper	<b>✓</b>	<b>~</b>	<b>~</b>

- <sup>29</sup> Can be recycled through commonly available recycling programs.
- With HP Latex Inks. Water resistance testing by HP Image Permanence Lab on a wide range of media, including HP media; water resistance is comparable to eco- and low-solvent inks when printed on water-resistant substrates. Water resistance testing follows ISO 18935 method. Results may vary based on specific media performance. For more information, see HPLFMedia.com/printpermanence.
- With HP Latex Inks. HP image permanence and scratch, smudge, and water resistance estimates by HP Image Permanence Lab on a range of media including HP printing materials. For more information, see HPLFMedia.com/printpermanence.



## **Outdoor event banners**









#### **HP 13-oz Prime Gloss Banner**

From long-lasting indoor displays to demanding outdoor display conditions, this durable front-lit banner material can handle it all. Brilliant image quality is preserved in water¹- and tear-resistant prints. The polyester scrim reinforcement provides excellent rip-stop qualities and extra strength when grommeting.

Weight: **440 q/m² (13 oz)**Thickness/caliper: **55 microns/14 mil** 

#### **HP 13-oz Prime Matte Banner**

From long-lasting indoor displays to demanding outdoor display conditions, this durable front-lit banner material can handle it all. Brilliant image quality is preserved in water<sup>1</sup>- and tear-resistant prints. The polyester scrim reinforcement provides excellent rip-stop qualities and extra strength when grommeting.

Weight: 440 g/m² (13 oz) Thickness/caliper: 55 microns/14 mil

#### HP 15-oz Prime Double-sided Blockout Banner

From long-lasting indoor displays to demanding outdoor display conditions, this durable banner material can handle it all. Brilliant image quality is preserved in water¹- and tear-resistant2 prints. The polyester scrim reinforcement provides excellent rip-stop qualities and extra strength when grommeting. Double-sided construction allows banners to lay flat and resist curl in a wide range of environmental conditions.

Weight: 510 g/m² (15 oz)

Thickness/caliper: 350 microns/13.8 mil

#### HP 18-oz Prime Double-sided Pole Banner

Deliver brilliant image quality on both sides of this double-sided banner which has a matte print surface on both sides. From long-lasting indoor displays to demanding outdoor display conditions, this heavy-duty banner material can handle it all.

Weight: 610 g/m² (15 oz)

Thickness/caliper: 439 microns/17.3.8 mil

#### **HP Doublesided Blockout Banner**

The polyester scrim reinforcement provides superior rip-stop qualities and extra strength when grommeting. Double-sided construction allows banners to lay flat and resist curl in a wide range of environmental conditions. Produces brilliant image quality on both sides of this double-sided banner which has a smooth matte print surface on both sides.

Weight: 510 g/m² (15 oz)

Thickness/caliper: 330 microns/13 mil

Application needs:	Vibrant color/ fine detail	Durable	Water resistant	Stitch/ grommet	Weld
HP 13-oz Prime Gloss Banner	<b>~</b>	~	<b>√</b> 35	~	<b>√</b> 36
HP 13-oz Prime Matte Banner	<b>~</b>	~	<b>→</b> 35	~	<b>√</b> 36
HP 15-oz Prime Double-sided Blockout Banner	<b>~</b>	~	<b>→</b> 35	•	<b>√</b> 36
HP 18-oz Prime Double-sided Pole Banner	<b>~</b>	~	<b>√</b> 35	~	<b>√</b> 36
HP Double-sided Blockout Banner 🛞	~	<b>~</b>	<b>√</b> 35	~	<b>√</b> 36

- THE CHESTIVAL FOR THE CHAPTER OF THE
- 32 HP Large Format Media take-back program availability varies. Recycling programs may not exist in your area. See <u>HPLFMedia.com/</u> ecosolutions for details.
- Not recommended for installations in weather conditions with extreme cold or wind. Not intended for flags. Use of two-sided pressuresensitive banner tape and banner stitching, in combination with grommets suitable for outdoor conditions, is recommended for finishing of all sides. Always use two poles.
- With Original HP 789 Latex Designjet or HP LX600 Latex Scitex Inks. Interior in-window display ratings by HP Image Permanence Lab on a range of media including HP printing materials. For more information, see <u>HPLFMedia.com/</u> printpermanence.
- <sup>35</sup> HP 792 Latex Inks. Water resistance testing by HP Image Permanence Lab on a wide range of media, including HP media; water resistance is comparable to eco- and low-solvent inks when printed on water-resistant substrates. Water resistance testing follows ISO 18935 method. Results may vary based on specific media performance. For more information, see HPLFMedia.com/printpermanence.

- 37 HP PVC-free Wall Paper printed with HP Latex Inks is GREENGUARD GOLD Certified. GREENGUARD GOLD Certification to UL 2818 demonstrates that products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit <u>ul.com/gg</u> or greenguard.org.
- 38 Chemical analysis demonstrated elemental chlorine to be below 200 ppm. Presence of chlorine is attributed to residual chlorine used in the paper-making process, and not due to the presence of PVC.
- Class A, B1, EN 13501, and M1 approved fire certifications.
- <sup>40</sup> According to the European Standard EN15102.
- With HP Latex Inks. Display permanence rating for interior displays/away from direct sunlight by HP Image Permanence Lab. For more information, see <u>HPLFMedia.com/</u> <u>printpermanence</u>.
- <sup>42</sup> HP PVC-free Wall Paper can be easily removed from the wall. Residual adhesive can be easily wiped clean with water and a sponge. Some warranty limitations apply. See the HP PVC-free Wall Paper Warranty at <u>HPLFMedia.com/</u> mediawarranties.



COLORPROTECHNOLOGY





## **Exhibition**

#### **Event graphics**

#### **HP Professional Gloss Photo Paper FSC® certified**

This outstanding, heavyweight, resin-coated photo paper is ideal for either custom or high-volume photographic printing projects. The bright-white finish provides a high dynamic range and a wide color gamut for color-critical, eve-catching reproductions on a gloss finish.

Weight: 275 g/m<sup>2</sup> Thickness/caliper: 248 microns/9.8 mil

#### **HP Professional Satin Photo FSC® certified**

This outstanding, heavyweight, resin-coated photo paper is ideal for either custom or high-volume photographic printing projects. The bright-white finish provides a high dynamic range and a wide color gamut for color-critical, eye-catching reproductions on a satin finish.

Weight: **275 q/m²** Thickness/caliper: **248 microns/9.8 mil** 

#### HP Everyday Satin Photo Paper FSC® certified

Produce high quality with this resin-coated paper for high-volume production printing. Ideal for production runs of photo enlargements, posters, and displays and designed for HP Latex printers, this resin-coated photo paper provides an economical price point without sacrificing quality.

Weight: **180 g/m²** Thickness/caliper: **187 microns/7.4 mil** 

#### HP PVC-free Wall Paper FSC® and GREENGUARD GOLD Certified37

Deliver sharp detail and vivid, lasting colors with ColorPRO Technology. Offer your customers an odorless, PVC-free<sup>38</sup> alternative for wall murals. This high-performance, flame-resistant<sup>39</sup> wall paper carries the CE Mark.<sup>40</sup> With an ultra-smooth finish, this paper provides vivid color and high-definition detail ideal for wall murals, and provides up to 20 years display permanence indoors, away from direct sun.<sup>41</sup> This prepasted wallpaper is easy to install and it's strippable, so it's also easy to remove, and comes with an HP warranty (see **HPLFMedia.com/mediawarranties**).<sup>42</sup> In addition, HP Latex Ink prints are GREENGUARD GOLD Certified<sup>37</sup> on this FSC®-certified paper and can help building owners obtain LEED credits.<sup>43</sup> Prints also meet AgBB criteria.<sup>44</sup>

Weight: 175 g/m² Thickness/caliper: 177 microns/7 mil

#### HP PVC-free Durable Smooth Wall Paper FSC® and GREENGUARD GOLD Certified37

HP PVC-free Durable Smooth Wall Paper is Type II (ASTM F793) compliant<sup>75</sup> for durability characteristics—ideal for use in environments subject to wear and tear. Help your customers define interiors with durable, colorful, creative wall decorations that last—with scrub- and scratch-resistant performance. Odorless displays are UL GREENGUARD GOLD Certified<sup>37</sup> and REACH compliant<sup>46</sup> using this FSC®-certified paper.

Weight: 290 g/m² Thickness/caliper: 406 microns/16 mil

#### **HP PVC-free Durable Suede Wall Paper** FSC® and GREENGUARD GOLD Certified<sup>37</sup>

Prints produced with HP Latex Inks on HP PVC-free Durable Suede Wall Paper are Type II (ASTM F793) compliant<sup>5</sup> for durability. Scrub- and scratch-resistant, this textured wall covering is easy to install and remove. Odorless displays are UL GREENGUARD GOLD Certified<sup>37</sup> and REACH compliant<sup>46</sup> using this FSC®-certified paper.

Weight: **280 g/m²** Thickness/caliper: **431 microns/17 mil** 

#### **HP Premium Removable Gloss Adhesive Vinyl**

Enjoy the ease of working with this calendared vinyl with a gray removable adhesive for increased opacity. The special air-release liner is designed to eliminate air, prevent bubbling and wrinkling, and save time and money with efficient installation. HP Premium Removable Gloss Adhesive Vinyl is REACH compliant—a regulation of the European Union adopted to improve the protection of human health and the environment.

Weight: Thickness/caliper:

With liner: 298 g/m² With liner: 284 microns/11.2 mil
Without liner: 110 g/m² Without liner: 81 microns/3.2 mil

#### **HP Everyday Blockout Display Film**

The innovative three-layer construction with polyester and polypropylene produces rigid, durable displays with excellent lay-flat properties. Designed with the environment in mind, this economical film is REACH compliant.  $^{46}$ 

Weight: 220 g/m<sup>2</sup> Thickness/caliper: 248 microns/9.8 mil

- 43 To obtain US LEED credits based on FSC® certification, the builder must purchase HP PVC-free Wall Paper printed with HP Latex Inks from an FSC® Chain of Custody certified print service provider. To obtain LEED credits based on GREENGUARD GOLD Certification, HP PVC-free Wall Paper printed with HP Latex Inks must be part of a wall system in which all components are GREENGUARD GOLD Certified.
- 44 HP PVC-free Wall Paper printed with HP Latex Inks meets AgBB criteria for health-related evaluation of VOC emissions of indoor building products. See umweltbundesamt.de/en/ topics/health/commissions-working-groups/ ausschuss-zur-gesundheitlichen-bewertungvon.



- 45 HP Large Format Media take-back program availability varies. Recycling programs may not exist in your area. See HPLFMedia.com/ ecosolutions for details.
- This product does not contain substances listed as SVHC (155) per Annex XIV of the EU REACH directive published as of June 16, 2014 in concentrations exceeding 0.1%. To determine the status of SVHC in HP products, see the HP REACH Declaration published at HP Printing Products and Consumable Supplies. Logo source: Copyright European Chemicals Agency.
- With Original HP 789 Latex Designiet or HP LX600 Latex Scitex Inks. Interior in-window display ratings by HP Image Permanence Lab on a range of media including HP printing materials. For more information, see HPLFMedia.com/ printpermanence.
- <sup>48</sup> Unprinted HP Heavy Textile Banner and HP Light Fabric are Oeko-Tex® certified according to Oeko-Tex® Standard 100, which is a globally uniform testing and certification system for textile raw materials, intermediate, and end products at all stages of production. Tested for emissions of volatile organic compounds and chemical residues such as pesticides. allergy-inducing dyestuffs, or tin-organic compounds.
- HP Large Format Media take-back program availability varies. Recycling programs may not exist in your area. See HPLFMedia.com/ ecosolutions for details.
- <sup>50</sup> B1 and NFPA approved fire certifications.

## **Exhibition**

#### **Event graphics** (continued)

#### **HP Permanent Gloss Adhesive Vinyl**

Capture vibrant graphic detail, display brilliant color. From event signage to retail displays, achieve a highquality look with this versatile, easy-to-handle, quick-mount self-adhesive vinyl—ideal for a wide range of indoor and outdoor applications. Offer a vinyl that complies with high health standards. HP Permanent Gloss Adhesive Vinyl is REACH compliant<sup>46</sup>—a regulation of the European Union adopted to improve the protection of human health and the environment.

Weight: Thickness/caliper:

With liner: 270 q/m<sup>2</sup> With liner: 248 microns/9.8 mil Without liner: 150 g/m² Without liner: 121 microns/4.8 mil

#### **HP Permanent Matte Adhesive Vinyl**

Depend on lasting results. HP Permanent Matte Adhesive Vinyl is a high-quality, self-adhesive vinyl suitable for a wide range of outdoor and indoor applications—from murals, advertisements, and point-of-purchase displays to event signage. The highly opaque matte surface captures vibrant graphic details and displays brilliant, lasting colors. Offer a vinyl that complies with high health standards. HP Permanent Gloss Adhesive Vinyl is REACH compliant46—a regulation of the European Union adopted to improve the protection of human health and the environment.

Weight: Thickness/caliper:

With Liner: 270 g/m<sup>2</sup> With Liner: 248 microns/9.8 mil Without Liner: 150 g/m² Without Liner: 121 microns/4.8 mil

#### HP Light Fabric NEW OEKO-TEX® certified48

Create high-impact, flame-resistant<sup>50</sup> displays from trade show and event banners, to POP. HP Light Fabric is a bright white, wrinkle-resistant, 100% knitted polyester fabric. It is competitively priced, uncoated material that produces brilliant, high quality images with intense color saturation. You won't find color creasing or wrinkling.

Weight: 220 g/m² (6.2 oz) Thickness/caliper: 399 microns/15.7 mil

#### HP Backlit Polyester Film 🚺



Create high-impact backlits with the sharp, vibrant color that commands attention. With a specially engineered porous coating, the recyclable, <sup>49</sup> polyester backlit film achieves superb ink adhesion to produce razor-sharp images. And this high-performance film helps you keep peak productivity. With a high-end polyester base and compatibility with HP Latex Inks, this film provides a sturdy construction and quick-dry performance to help you move quickly to lamination and display.

Weight: 275 q/m<sup>2</sup> Thickness/caliper: 220 microns/8.7 mil

#### HP Everyday Adhesive Matte Polypropylene, 3-in Core

Meet your day-to-day production needs with this versatile, easy-to-use self-adhesive printing material. Produce outstanding image quality and vibrant color. Instant-dry prints help keep your workflow moving smoothly.

Weight: Thickness/caliper:

With liner: 168 g/m<sup>2</sup> With liner: 215 microns/8.5 mil Without liner: 95 g/m<sup>2</sup> Without liner: 160 microns/6.3 mil

#### HP Super Heavyweight Plus Matte Paper, 3-in Core 🔼



Produce razor-sharp image quality and ripple-free prints—even under high ink densities—with this best-in-class graphics display paper that includes a barrier layer beneath a thick top coating and an ultra-white matte finish for a rich, distinctive look and feel. This paper helps you achieve a new level of productivity by delivering broad application versatility, instant dry time, and excellent film laminate compatibility. And this paper can be recycled through commonly available recycling programs.

Weight: 200 q/m<sup>2</sup> (55 lb) Thickness/caliper: 264 microns/10.4 mil

#### HP Everyday Matte Polypropylene, 3-in Core 🛟



Produce high-impact signs with this versatile, durable matte polypropylene film. This tear-resistant substrate is easy to use and handle, is ideal for both indoor and outdoor applications, and is recyclable through the HP Large Format Media take-back program.49

Weight: 120 g/m<sup>2</sup> Thickness/caliper: 203 microns/8 mil

#### **HP Prime Gloss Air GR**

This gloss-finish, intermediate polymeric adhesive vinyl offers outstanding image quality and "pop". The gray removable adhesive is opaque for maximum coverage.

Weight: Thickness/caliper:

Liner: 146 g/m Base film: 86 microns/3.4 mil

## **Exhibition**

## Event graphics (continued)

### <sup>51</sup> Class A, B1, EN 13501, and M1 approved fire certifications.

- HP HDPE Reinforced Banner can only be welded with heat, print-to-print and back-to-back.
- <sup>53</sup> NFPA, B1, CA 1237, M1 approved fire certifications.
- <sup>54</sup> HP PVC-free Wall Paper printed with HP Latex Inks is GREENGUARD GOLD Certified. GREENGUARD GOLD Certification to UL 2818 demonstrates that products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit <u>ul.com/gg</u> or greenguard.org.
- This product does not contain substances listed as SVHC (155) per Annex XIV of the EU REACH directive published as of June 16, 2014 in concentrations exceeding 0.1%. To determine the status of SVHC in HP products, see the HP REACH Declaration published at HP Printing Products and Consumable Supplies. Logo source: Copyright European Chemicals Agency.
- 56 Chemical analysis demonstrated elemental chlorine to be below 200 ppm. Presence of chlorine is attributed to residual chlorine used in the paper-making process, and not due to the presence of PVC.
- <sup>57</sup> Class A, B1, EN 13501, and M1 approved fire certifications.
- <sup>58</sup> According to the European Standard EN15102.
- With HP Latex Inks. Display permanence rating for interior displays/away from direct sunlight by HP Image Permanence Lab. For more information, see <u>HPLFMedia.com/</u> <u>printpermanence</u>.
- Find the power of the power of the wall. Residual adhesive can be easily wiped clean with water and a sponge. Some warranty limitations apply. See the HP PVC-free Wall Paper Warranty at HPLFMedia.com/mediawarranties.
- To obtain US LEED credits based on FSC® certification, the builder must purchase HP PVC-free Wall Paper printed with HP Latex Inks from an FSC® Chain of Custody certified print service provider. To obtain LEED credits based on GREENGUARD GOLD Certification, HP PVC-free Wall Paper printed with HP Latex Inks must be part of a wall system in which all components are GREENGUARD GOLD Certified.
- 62 HP PVC-free Wall Paper printed with HP Latex Inks meets AgBB criteria for health-related evaluation of VOC emissions of indoor building products. See umweltbundesamt.de/en/topics/health/commissions-working-groups/ausschuss-zur-gesundheitlichen-bewertungvon.

#### **HP Prime Gloss CP**

See outstanding image quality with clear, permanent adhesive vinyl. Offer a vinyl that complies with high health standards—HP Prime Gloss CP is REACH compliant.

Weight: Thickness/caliper:

Liner: 140 g/m² DSPE paper liner Base film: 86 microns/3.4 mil

#### **HP Prime Gloss Air GP**

Produce outstanding, easy-to-install prints with a low-profile air release liner. Get maximum coverage with a gray permanent adhesive.

Weight: Thickness/caliper:

Liner: 160 g/m² DSPE paper liner Base film: 86 microns/3.4 mil

#### **HP Prime Matte Air GP**

See outsanding image quality and great hiding power with this gray permanent adhesive. Differentiate with environmental certifications.

Weight: Thickness/caliper:

Liner: 160 g/m²DSPE paper liner Base film: 86 microns/3.4 mil

#### **HP Optimal Gloss Air GRP**

Experience stunning print performance and ease of installation with HP's Optimal polymeric repositionable vinyl. Reduce inventory costs with the wide variety of applications that can be produced with HP Optimal Gloss Air GRP.

Weight: Thickness/caliper:

Liner: 160 g/m² DSPE paper liner Base film: 76 microns/3 mil

#### **HP Gloss Polymeric Overlaminate**

Double your value with print film that doubles as high-performance, gloss overlaminate.

Weight: Thickness/caliper:

Liner: 140 g/m² DSPE paper liner Base film: 76 microns/3 mil

#### **HP Matte Polymeric Overlaminate**

Print high-quality, detailed graphics with this high-performance, calendered vinyl with a matte finish for indoor and outdoor signs and vehicle graphics. HP Matte Polymeric Overlaminate can also double as an overlaminate for printed images with the utmost protection.

Weight: Thickness/caliper:

Liner: 140 g/m² DSPE paper liner Base film: 76 microns/3 mil

#### HP Removable Adhesive Fabric, 3-in Core

Enjoy the ease of working with this repositionable adhesive-back fabric that is easy to install, reposition, and remove with virtually no residue.

Weight: Thickness/caliper:

Liner: 120 g/m² DSPE paper liner Base film: 304 microns/12 mil





















## **Wall murals**

#### Interior decoration

#### HP PVC-free Wall Paper FSC® and GREENGUARD GOLD Certified54

Deliver sharp detail and vivid, lasting colors with ColorPRO Technology. Offer your customers an odorless, PVC-free<sup>56</sup> alternative for wall murals. This high-performance, flame-resistant<sup>57</sup> wall paper carries the CE Mark.<sup>58</sup> With an ultra-smooth finish, this paper provides vivid color and high-definition detail ideal for wall murals, and provides up to 20 years display permanence indoors, away from direct sun,<sup>59</sup> This prepasted wall paper is easy to install and it's strippable. In addition, HP Latex Ink prints are GREENGUARD GOLD Certified⁵⁴ on this FSC®-certified paper and can help building owners obtain LEED credits. 61 Prints also meet AqBB criteria. 62

Weight: 175 g/m<sup>2</sup> Thickness/caliper: 177 microns/7 mil

**HP PVC-free Durable Smooth Wall Paper** FSC® and GREENGUARD GOLD Certified<sup>54</sup> HP PVC-free Durable Smooth Wall Paper is Type II (ASTM F793) compliant<sup>75</sup> for durability characteristics—ideal for use in environments subject to wear and tear. Help your customers define interiors with durable, colorful. creative wall decorations that last—with scrub- and scratch-resistant performance. Odorless displays are UL GREENGUARD GOLD Certified<sup>54</sup> and REACH compliant<sup>55</sup> using this FSC<sup>®</sup>-certified paper.

Weight: 290 g/m<sup>2</sup> (16 oz) Thickness/caliper: 431 microns/17 mil

#### HP PVC-free Durable Suede Wall Paper FSC® and GREENGUARD GOLD Certified37

Prints produced with HP Latex Inks on HP PVC-free Durable Suede Wall Paper are Type II (ASTM F793) compliant<sup>75</sup> for durability. Scrub- and scratch-resistant, this textured wall covering is easy to install and remove. Odorless displays are UL GREENGUARD GOLD Certified<sup>37</sup> and REACH compliant<sup>46</sup> using this FSC®-certified paper.

Weight: 280 g/m<sup>2</sup> Thickness/caliper: 406 microns/16 mil

#### **HP Premium Removable Gloss Adhesive Vinyl**

Enjoy the ease of working with this calendared vinyl with a gray removable adhesive for increased opacity. The special air-release liner is designed to eliminate air, prevent bubbling and wrinkling, and save time and money with efficient installation. HP Premium Removable Gloss Adhesive Vinvl is REACH compliant—a regulation of the European Union adopted to improve the protection of human health and the environment.

Weiaht: Thickness/caliner:

With liner: 298 g/m<sup>2</sup> With liner: 284 microns/11.2 mil Without liner: 110 q/m2 Without liner: 81 microns/3.2 mil

#### **HP Optimal Gloss Air GRP**

Experience stunning print performance and ease of installation with HP's Optimal polymeric repositionable vinyl. Reduce inventory costs with the wide variety of applications that can be produced with HP Optimal

Thickness/caliper:

Liner: 160 g/m<sup>2</sup> DSPE paper liner Base film: 76 microns/3 mil

#### **HP Removable Adhesive Fabric**

Enjoy the ease of working with this repositionable adhesive-back fabric that is easy to install, reposition, and remove with virtually no residue.

Weight: Thickness/caliper:

Liner: 120 g/m<sup>2</sup> DSPE paper liner Base film: 304 microns/12 mil

#### HP Non-woven Durable Suede Wall Paper FSC® and GREENGUARD GOLD Certified37

Non-woven durable wall paper prints are easy to install and remove. Help your customers define interiors with durable, colorful, creative wall decorations that last—with scrub- and scratch-resistant performance.

Weight: 200 q/m<sup>2</sup> Thickness/caliper: 330 microns/13 mil

Weight. 200 g/ iii		THICKITCS.	o, catiper.	<b>50</b> III	13, 13 1111	
Application needs:	Vibrant color/ fine detail	Durable (fade resistant)	Water resistant	Easy to hang	Easy to remove	Flame resistant
HP PVC-free Wall Paper	<b>~</b>	<b>~</b>	~	~	<b>~</b>	<b>→</b> 57
HP PVC-free Durable Smooth Wall Paper	~	~	~	~	~	<b>~</b>
HP PVC-free Durable Suede Wall Paper	<b>~</b>	~	~	~		<b>~</b>
HP Premium Removable Gloss Adhesive Vinyl	<b>~</b>	~	~	<b>~</b>	~	
HP Optimal Gloss Air GRPl	<b>~</b>	<b>~</b>	~	~	~	~
HP Removable Adhesive Fabric	~	<b>~</b>	~	~	~	~
HP Non-woven Durable Suede Wall Paper	<b>~</b>	~	~	~	~	<b>~</b>

## **Textiles**



**HP Light Fabric OEKO-TEX® certified**<sup>63</sup>
Create high-impact, flame-resistant<sup>65</sup> displays from trade show and event banners, to POP. HP Light Fabric is a bright white, wrinkle-resistant, 100% knitted polyester fabric. HP Light Fabric is REACH compliant. 55 It is competitively priced, uncoated material that produces brilliant, high quality images with intense color saturation. You won't find color creasing or wrinkling.

Weight: <b>220 g/m² (6.2 oz)</b>	Thickness/caliper: 398 microns/15.7 m

Application needs:	Durable (fade resistant)	Stitch	Flame resistant
HP Light Fabric 🏵	<b>~</b>	<b>~</b>	<b>√</b> 66

- <sup>63</sup> Unprinted HP Heavy Textile Banner and HP Light Fabric are OEKO-TEX® certified according to OEKO-TEX® Standard 100, which is a globally uniform testing and certification system for textile raw materials, intermediate, and end products at all stages of production. Tested for emissions of volatile organic compounds and chemical residues such as pesticides, allergy-inducing dyestuffs, or tin-organic compounds.
- 64 HP Large Format Media take-back program availability varies. Recycling programs may not exist in your area. See HPLFMedia.com/ ecosolutions for details.
- B1 and NFPA approved fire certifications.
- 66 NFPA, B1, CA 1237, M1 approved fire certifications.



## Signage

#### **HP Air Release Adhesive Gloss Cast Vinyl**

This competitively priced, high-performance white cast vinyl with a permanent adhesive is ideal for high-impact long-term applications on curved and flat surfaces, like vehicle wraps. This substrate offers a gloss finish and an opaque permanent adhesive.

Weight: Thickness/caliper:

With liner: 260 g/m² With liner: 241 microns/9.5 mil Without liner: 100 g/m² Without liner: 50 microns/2 mil

#### **HP Premium Removable Gloss Adhesive Vinyl**

Enjoy the ease of working with this calendared vinyl with a gray removable adhesive for increased opacity. The special air-release liner is designed to eliminate air, prevent bubbling and wrinkling, and save time and money with efficient installation. HP Premium Removable Gloss Adhesive Vinyl is REACH compliant—a regulation of the European Union adopted to improve the protection of human health and the environment.

Weight: Thickness/caliper:

With liner: 298 g/m² With liner: 284 microns/11.2 mil
Without liner: 110 g/m² Without liner: 81 microns/3.2 mil

#### **HP Permanent Gloss Adhesive Vinyl**

Capture vibrant graphic detail, display brilliant color. From event signage to retail displays, achieve a high-quality look with this versatile, easy-to-handle, quick-mount self-adhesive vinyl—ideal for a wide range of indoor and outdoor applications. Offer a vinyl that complies with high health standards. HP Permanent Gloss Adhesive Vinyl is REACH compliant<sup>55</sup>—a regulation of the European Union adopted to improve the protection of human health and the environment.

Weight: Thickness/caliper:

With liner: 270 g/m² With liner: 248 microns/9.8 mil Without liner: 150 g/m² Without liner: 121 microns/4.8 mil

#### **HP Permanent Matte Adhesive Vinyl**

Depend on lasting results. HP Permanent Matte Adhesive Vinyl is a high-quality, self-adhesive vinyl suitable for a wide range of outdoor and indoor applications—from murals, advertisements, and point-of-purchase displays to event signage. The highly opaque matte surface captures vibrant graphic details and displays brilliant, lasting colors. Offer a vinyl that complies with high health standards. HP Permanent Gloss Adhesive Vinyl is REACH compliant<sup>55</sup>—a regulation of the European Union adopted to improve the protection of human health and the environment.

Weight: Thickness/caliper:

With Liner: 270 g/m² With Liner: 248 microns/9.8 mil Without Liner: 150 g/m² Without Liner: 121 microns/4.8 mil

#### HP Everyday Adhesive Matte Polypropylene, 3-in Core

Meet your day-to-day production needs with this versatile, easy-to-use self-adhesive printing material. Produce outstanding image quality and vibrant color. Instant-dry prints help keep your workflow moving smoothly.

eight: Thickness/caliper:

With liner: 168 g/m² With liner: 215 microns/8.5 mil
Without liner: 95 g/m² Without liner: 160 microns/6.3 mil

#### **HP Prime Gloss CP**

See outstanding image quality with clear, permanent adhesive vinyl. Offer a vinyl that complies with high health standards—HP Prime Gloss CP is REACH compliant.

Weight: Thickness/caliper:

Liner: 140 g/m² DSPE paper liner Base film: 86 microns/3.4 mil

#### **HP Prime Gloss Air GP**

Produce outstanding, easy-to-install prints with a low-profile air release liner. Get maximum coverage with a gray permanent adhesive.

Weight: Thickness/caliper:

Liner: 160 g/m² DSPE paper liner Base film: 86 microns/3.4 mil

#### **HP Prime Matte Air GP**

See outsanding image quality and great hiding power with this gray permanent adhesive. Differentiate with environmental certifications.

Weight: Thickness/caliper:

Liner: 160 g/m² DSPE paper liner Base film: 86 microns/3.4 mil







- <sup>68</sup> HP Large Format Media take-back program availability varies. Recycling programs may not exist in your area. See HPLFMedia.com/hp/ ecosolutions for details.
- Not recommended for installations in weather conditions with extreme cold or wind. Not intended for flags. Use of two-sided pressuresensitive banner tape and banner stitching, in combination with grommets suitable for outdoor conditions, is recommended for finishing of all sides. Always use two poles.







## Signage

#### Signage (continued)



#### **HP Optimal Gloss Air GRP**

Experience stunning print performance and ease of installation with HP's Optimal polymeric repositionable vinyl. Reduce inventory costs with the wide variety of applications that can be produced with HP Optimal Gloss Air GRP<sup>1</sup>



Liner: 160 g/m² DSPE paper liner Base film: 76 microns/3 mil



#### **HP Gloss Polymeric Overlaminate**

Double your value with print film that doubles as high-performance, gloss overlaminate.

Weight: Thickness/caliper:

Liner: 140 g/m² DSPE paper liner Base film: 76 microns/3 mil



#### **HP Matte Polymeric Overlaminate**

Print high-quality, detailed graphics with this high-performance, calendered vinyl with a matte finish for indoor and outdoor signs and vehicle graphics. HP Matte Polymeric Overlaminate can also double as an overlaminate for printed images with the utmost protection.

Weight: Thickness/caliper:

Liner: 140 g/m² DSPE paper liner Base film: 76 microns/3 mil



#### **HP Vital Gloss CPr**

Create high-impact signage with sharp, vibrant print quality while enjoying excellent value. Experience ease of installation with excellent lay-flat properties.

Weight: Thickness/caliper:

Liner: 135 g/m² DSPE paper liner Base film: 99 microns/3.9mil



#### **HP Vital Matte CP**

HP Vital Matte CP is flame-resistant and REACH compliant—a regulation of the European Union adopted to improve the protection of human health and the environment.

Weight: Thickness/caliper:

Liner: 135 g/m² DSPE paper liner Base film: 99 microns/3.9mil



#### **HP Vital Gloss GR**

Create high-impact removable signage with sharp, vibrant print quality while enjoying excellent value. The gray removable adhesive is opaque for maximum coverage.

Neight: Thickness/caliper:

Liner: 135 g/m²DSPE paper liner Base film: 99 microns/3.9mil



#### **HP Vital Matte GR**

Offer a vinyl that complies with high health and safety standards. HP Vital Matte GR is flame-resistant and REACH compliant.

Veight: Thickness/caliper:

Liner: 135 g/m² DSPE paper liner Base film: 99 microns/3.9mil



#### **HP Gloss Monomeric Overlaminate**

Partner HP Gloss Monomeric Overlaminate with HP Vital adhesive vinyls or other printed graphics for added protection of indoor and outdoor digital print applications..

Weight: Thickness/caliper:

Liner: 72 g/m² DSPE paper liner Base film: 80 microns/3.1 mil



#### **HP Matte Monomeric Overlaminate**

HP Matte Monomeric Overlaminate is designed to enhance the print image quality and protect the print from wear and tear.

Weight: Thickness/caliper:

Liner: 72 g/m² DSPE paper liner Base film: 80 microns/3.1 mil



#### **HP Prime Gloss Air GR**

This gloss-finish, intermediate polymeric adhesive vinyl offers outstanding image quality and "pop". The gray removable adhesive is opaque for maximum coverage.

Weight: Thickness/caliper:

Liner: 146 g/m Base film: 86 microns/3.4 mil



#### **HP Removable Adhesive Fabric**

Enjoy the ease of working with this repositionable adhesive-back fabric that is easy to install, reposition, and remove with virtually no residue.

Weight: Thickness/caliper:

Liner: 120 g/m² DSPE paper liner Base film: 304 microns/12 mil

# Signage (continued)

Application needs:	Vibrant color/ fine detail	Durable	Flexible	Strong adhesion	Stretchable	Opaque
HP Air Release Adhesive Gloss Cast Vinyl	<b>~</b>	~	~	<b>~</b>	<b>~</b>	~
HP Clear Gloss Cast Overlaminate	<b>~</b>	~	<b>~</b>	~	~	
HP Premium Removable Gloss Adhesive Vinyl	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>
HP Permanent Gloss Adhesive Vinyl	<b>~</b>	<b>~</b>	<b>~</b>	~	~	
HP Permanent Matte Adhesive Vinyl	<b>~</b>	<b>~</b>	<b>~</b>	~	~	
HP Everyday Adhesive Matte Polypropylene, 3-in Core	<b>~</b>	~	~	~	<b>~</b>	
HP Prime Gloss CP	~	~	<b>~</b>	~	~	
HP Prime Gloss Air GP	~	<b>~</b>	<b>~</b>	~	~	~
HP Prime Matte Air GP	<b>~</b>	<b>~</b>	<b>~</b>	~	~	
HP Optimal Gloss Air GRP	<b>~</b>	<b>~</b>	<b>~</b>		~	~
HP Gloss Polymeric Overlaminate	<b>~</b>	<b>~</b>	<b>~</b>	~	~	
HP Matte Polymeric Overlaminate	~	~	<b>~</b>	~	~	
HP Vital Gloss CP	<b>~</b>	~	~		~	
HP Vital Matte CP	*	<b>~</b>	<b>~</b>	~	~	
HP Vital Gloss GR	*	<b>~</b>	~		~	~
HP Vital Matte GR	*	~	~		~	~
HP Gloss Monomeric Overlaminate	<b>~</b>	~	~	~	~	
HP Matte Monomeric Overlaminate	*	~	~	~	~	
HP Prime Matte Air GR	*	~	~	~	~	~
HP Removable Adhesive Fabric	<b>~</b>	~	~	~	~	~



## **Billboards**

#### **Paper**

**HP White Satin Poster Paper** FSC® certified
This multilayer recyclable<sup>71</sup> poster paper with a bright white satin finish produces richly detailed posters and water-resistant<sup>72</sup> prints and is qualified for billboard applications. Scratch-resistant prints keep the image intact when folding and achieve up to 6 months display permanence outdoors, unlaminated  $^{73}$ 

Weight: 136 g/m² Thickness/caliper: 165 microns/6.5 mil

Application needs:	Vibrant color/ fine detail	Water resistant	Fold
HP White Satin Poster Paper 😵	<b>✓</b>	<b>√</b> 72	~

- <sup>71</sup> Can be recycled through commonly available recycling programs.
- <sup>72</sup> With HP Latex Inks. Water resistance testing by HP Image Permanence Lab on a wide range of media, including HP media; water resistance is comparable to eco- and low-solvent inks when printed on water-resistant substrates. Water resistance testing follows ISO 18935 method. Results may vary based on specific media performance. For more information, see HPLFMedia.com/printpermanence.
- With HP Latex Inks. HP image permanence and scratch, smudge, and water resistance estimates by HP Image Permanence Lab on a range of media including HP printing materials. See HPLFMedia.com/printpermanence.



## Vehicle graphics

#### **Wraps**

#### **HP Air Release Adhesive Gloss Cast Vinyl**

This competitively priced, high-performance white cast vinyl with a permanent adhesive is ideal for high-impact long-term applications on curved and flat surfaces, like vehicle wraps. This substrate offers a gloss finish and an opaque permanent adhesive.

Weight: Thickness/caliper:

With liner: 260 g/m² With liner: 241 microns/9.5 mil Without liner: 100 g/m² Without liner: 50 microns/2 mil


#### **HP Optimal Gloss Air GRP**

Experience stunning print performance and ease of installation with HP's Optimal polymeric repositionable vinyl. Reduce inventory costs with the wide variety of applications including vehicle graphics.

Weight: Thickness/caliper:

Liner: 160 g/m²DSPE paper liner Base film: 76 microns/3 mil

Application needs:	Vibrant color/ fine detail	Durable	Flexible	Strong adhesion	Clean removal	Stretchable	Opaque
HP Air Release Adhesive Gloss Cast Vinyl	~	<b>~</b>	~	<b>~</b>	<b>*</b>	<b>~</b>	*
HP Optimal Gloss Air GRP	~	~	~	~	~	~	~



<sup>75</sup> HP PVC-free Durable Smooth Wall Paper is compliant with the ASTM F793 standard (Type II) when printed at full coverage using Original HP 792 Latex Inks on the HP Latex 200 Printer series or HP 831 Latex Inks on the HP Latex 300 Printer series or HP LX610 Latex Inks on the HP Latex 800 Printer series or HP 881 Latex Inks on the HP Latex 3000 Printer. To avoid staining in unprinted areas, HP recommends cleaning the area within 30 minutes of any spill using a non-abrasive sponge with warm water and a mild dishwashing detergent.



## How to order

#### HP sign and display large format printing materials

HP sign and display large format printing materials for HP Latex Inks and HP Scitex inks are available worldwide to resellers and distributors through BMG, under license from HP. The business partnership between HP and BMG was formed to improve distribution coverage, product availability, and service and support for inkjet media specific to HP Latex and HP Scitex printers and presses (including printers and presses formerly named the HP DesignJet L-series and HP Scitex LX-series printers).

Please contact us at:

#### **Americas**

- U.S. & Canada: +1-888-893-4668
- Mexico & Latin America: +01-800-681-6740

#### Europe, Middle East, and Africa

- Benelux & Nordics: +32 28 080 750
- Central & Eastern Europe: + 42 022 888 2053
- France: +33 (0)1 84 88 00 35
- Cermany & Austria: +49 (0) 3030 806 625
- Italy: +39-02-9475-4971
- Middle East & Africa: +34 935 479 700
- Spain & Portugal: +34-935-479-700
- United Kingdom & Ireland: +44 (0) 24 7718 0068

#### **Asia Pacific**

- Australia: +61 2 8038 5013
- Singapore: +65-3158-4677

We look forward to working with you and providing you with the best possible products, service, and support.

For more information, visit our website at: HPLFMedia.com

For detailed information on the HP large format printing materials portfolio and to order, visit HPLFMedia.com

© 2021 HP Development Company, L.P. © 2021 Brand Management Group. The information contained herein is subject to change without notice.

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP and BMG shall not be liable for technical or editorial errors or omissions contained herein.

HP is a registered trademark of HP Development Company, L.P. and is used by Brand Management Group on license from HP Development Company, L.P.

